

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
8 November 2001 (08.11.2001)

PCT

(10) International Publication Number
WO 01/82719 A1

(51) International Patent Classification⁷: **A23K 1/16, 1/18, A61K 35/78, A61P 37/00**

(21) International Application Number: **PCT/US01/13660**

(22) International Filing Date: **27 April 2001 (27.04.2001)**

(25) Filing Language: **English**

(26) Publication Language: **English**

(30) Priority Data:
60/201,028 1 May 2000 (01.05.2000) US

(71) Applicant: **THE IAMS COMPANY [US/US]; 7250 Poe Avenue, Dayton, OH 45414 (US).**

(72) Inventors: **HAYEK, Michael, G.; 926 Tammy Circle, Dayton, OH 45415 (US). MASSIMINO, Stefan, P.; 4107 Apartment E, Indian Runn Drive, Dayton, OH 45415 (US). BOEBEL, Katherine, P.; 1284 Enterprise Road, West Alexandria, OH 45381 (US).**

(74) Agents: **LUNA, Susan, M. et al.; Killworth, Gottman, Hagan & Schaeff, L.L.P., One Dayton Centre, Suite 500, One South Main Street, Dayton, OH 45402-2023 (US).**

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

- *with international search report*
- *before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments*

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: **PROCESS FOR ENHANCING IMMUNE RESPONSE IN CANINES USING A DIETARY COMPOSITION INCLUDING GARLIC**

(57) Abstract: A composition and method for enhancing immune response and improving the overall health of canines is provided which includes feeding the canines a dietary composition containing an effective amount of garlic in an amount of from about 1 to 10 g/kg diet. The dietary composition, when fed to canines, provides antioxidant, anticancer, and immunomodulatory benefits. The canines are fed the composition containing an effective amount of garlic in a quantity and frequency appropriate for their nutritional needs resulting in an enhanced immune response by increased lymphocyte blastogenesis and improves the overall health of the animal.

WO 01/82719 A1

-1-

**PROCESS FOR ENHANCING IMMUNE RESPONSE
IN CANINES USING A DIETARY COMPOSITION INCLUDING GARLIC**

This invention relates to a dietary composition and method for enhancing immune
5 response and improving the overall health of canines, and more particularly, to a dietary
composition which includes an effective amount of garlic, which, when fed to canines,
provides antioxidant, anticancer, and immunomodulatory benefits.

In recent years, the health effects of garlic for humans have become an area of active
research with regard to the prevention and treatment of disease. Garlic may be provided in
10 many forms; e.g., as a natural product in raw or cooked form, as a water or oil soluble extract,
a powder, and as purified forms of the bioactive compounds.

Studies have shown that organosulfur compounds found in garlic have antioxidant
properties. In addition, it has been found that garlic may also function as an anticancer agent.
For example, the garlic compound S-allylmercaptocysteine has been found to reduce the
15 growth of human prostate carcinoma LNCaP cells. Garlic has also been found to reduce the
incidence of chemical induced tumors in rats.

It is also believed that the sulfur-containing components of garlic may contribute to
immune modulating properties. For example, a garlic extract and a garlic protein fraction have
been found to increase the oxidative burst of a J744 mouse macrophage cell line and mouse
20 peritoneal macrophages.

However, few studies have been conducted to evaluate the effects of garlic on
companion animals such as canines. Accordingly, there is still a need in the art for a method
of utilizing the health benefits of garlic in a dietary composition for canines.

The present invention meets that need by providing a process for feeding dogs a diet
25 containing an effective amount of garlic which has been found to provide enhanced immune
response and improve the overall health of the animal. Preferably, the dog is fed a diet which
includes garlic in an amount of from about 1 to 10 g/kg diet.

When a composition containing an effective amount of garlic is administered to dogs in
a quantity and frequency appropriate for their nutritional needs, it has been found that the
30 immune response is enhanced by increased lymphocyte blastogenesis.

-2-

Accordingly, it is a feature of the present invention to provide a process for enhancing immune response and improving the overall health of dogs by providing an effective amount of garlic in the diet of the animal. This, and other features and advantages of the present invention, will become apparent from the following detailed description and accompanying
5 drawings.

Fig. 1 is a graph of cytokine production by peripheral blood monocytes in control- and garlic-fed dogs; and

Fig. 2 is a graph of lymphocyte blastogenesis in control- and garlic-fed dogs.

10 The present invention uses a dietary composition for dogs which contains garlic in an amount of between about 1 to 10 g/kg diet. Such a diet provides sufficient garlic to provide antioxidant, anticancer, and immunomodulatory effects.

A preferred garlic for use in the present invention is a premium garlic powder which is commercially available from Gilroy Foods. This form of garlic is preferably comprised of
15 dehydrated garlic prepared from fresh pungent varieties of *Allium sativum* which has been cleaned, sliced, dehydrated and milled to powder. However, it should be appreciated that other forms of garlic which provide the desired antioxidant, anticancer, and immunomodulatory effects may also be used.

The dietary composition may be in the form of any suitable dog food formula which
20 also provides adequate nutrition for the animal. For example, a typical canine diet for use in the present invention may contain about 20-40% crude protein, about 4-30% fat, and about 1-11% total dietary fiber on a dry matter basis. However, no specific ratios or percentages of these or other nutrients are required. The garlic may be blended with such a dietary composition to provide the beneficial amounts needed. Alternatively, the garlic may be
25 provided in the form of a dietary supplement.

An experiment was conducted to study the potential beneficial effects of garlic on the immune response of dogs. 28 Beagle dogs (age range: 2 - 4 years) were fed a basal control diet for 30 days. Dogs were then randomized by body weight and divided into 2 groups. Within each group, half the dogs continued to receive the control diet and the other half were switched
30 onto the garlic diet. This experimental period was conducted over a 77-day period. Blood

-3-

was taken at the end of the baseline period (T1 - day 0 of the experimental period), in the middle of the experimental period (T2 - day 35) and at the end of the study (T3 - day 77) in order to determine in vitro immune function (by lymphocyte blastogenesis) as well as cytokine production (tumor necrosis factor; TNF- α), interleukin- 1 (IL-1), and IL-6. Urine was

5 collected at these time points and immediately frozen in order to analyze for various markers of oxidative stress. In vivo immune function was determined by a delayed-type hypersensitivity (DTH) response test using a nonspecific antigen (phytohemagglutinin), a specific mitogen (Duramune® vaccine [Fort Dodge Laboratories]), and control (saline) to induce an inflammatory response and induration was measured at 24, 48, and 72 hours

10 postinjection with data expressed as measurements corrected for saline. Dogs were weighed weekly and fed to maintain body weight throughout the study. Water was provided ad libitum.

See Table 1 for the ingredients and composition of diets.

Table 1. Ingredient composition of diets

	Ingredient	Control Diet	Garlic Diet
		g/kg	
15	Ground corn	510	510
	Refined poultry by-product meal	205	205
	Poultry fat	89	89
	Menhaden fishmeal	85	85
20	Beet pulp	35	35
	Chicken digest	35	30
	Dicalcium phosphate	11	11
	Dried whole egg	8	8
	Brewers dried yeast	7	7
25	Potassium chloride	3	3
	Ground flax	3	3
	Mineral mix	3	3
	Vitamin mix	2	2
	Sodium chloride	2	2
30	DL-methionine	1	1
	Choline chloride	1	1
	Garlic powder	—	5

-4-

Isolation of mononuclear cells. Blood collected in heparinized tubes was diluted in calcium- and magnesium-free Hanks balanced salt solution (HBSS) (1:1), layered onto Ficoll-hypaque, and centrifuged at approximately 400 X g for 20 minutes. The mononuclear cells were harvested, washed in HBSS, and resuspended in RPMI-1640 growth medium containing 5 mg/mL bovine serum albumin (BSA), 100 U/mL penicillin, 100 µg/mL streptomycin, and 1% L-glutamine. Cells were counted in a Coulter counter (Coulter Corporation, Hialeah, FL), and 1 X 10⁶ cells in 7 mL of medium were plated in 60 mm well plates and allowed to adhere for 2-3 hours in a humidified CO₂ incubator at 37°C. The nonadherent cells were removed by gentle washing with medium, and the isolated monocytes incubated with growth medium plus 10 µg/ml of O55:B5 Eschericia coli lipopolysaccharide for 24 hours. The culture supernatant fluid was harvested, and the adherent cells digested with 1N ammonium hydroxide and 0.2% Triton X-100 for total cellular DNA quantitation.

Cytokine assays. Bioassays for IL-1, TNF-like activity, and IL-6 were performed as previously described. Mouse plasmacytoma cell line (T1165.17), which proliferates in response to IL-1 and IL-6, was used to assay for IL-1 activity. To determine specific IL-1 activity, the IL-1 receptor on the T1165.17 cell line was blocked using a monoclonal antibody (LA 15.6) to the IL-1 receptor. Murine fibroblasts (L929) were used to assay for TNF-like activity and the IL-6 bioassay was performed using B9 cells. Data from the bioassays were expressed as pg of cytokine per µg of monocyte DNA.

Lymphocyte blastogenesis. Mononuclear cells from the blood were isolated as described above via centrifugation on Ficoll-hypaque. After washing in HBSS cells were resuspended in culture medium containing 10% heat inactivated fetal calf serum, 100 U/mL penicillin, 100 µg/mL streptomycin, and 1% L-glutamine and adjusted to a final concentration of 1 X 10⁶ cells/mL. Concanavalin A (Con A) was added to 3 wells of a 96-well plate for each sample and 200 µL of the mononuclear cell suspension added. The final concentration of Con A in each well was 10 µg/mL. The culture plates were incubated at 37°C in a cell culture incubator for 72 hours, and then each well was pulsed with 1 µCi of [³H]thymidine (50 µL volume) and incubated an additional 24 hours. Cells were harvested on glass fiber filters (PHD cell harvester), and the amount of [³H]thymidine incorporation determined (decays per minute; DPM) in a scintillation counter.

-5-

Cytokine production. There was no significant difference between the control- and garlic-fed animals for any of the cytokines measured. There was also no significant change in the garlic-fed animals compared to baseline values (T1), although there was a slight trend (not significant) for reduced TNF and IL-6 with garlic feeding (Figure 1).

5 Lymphocyte blastogenesis. There was no significant difference between the control- and garlic-fed group in lymphocyte proliferative response to the mitogen Con A. However, in the garlic-fed group there was a significant linear trend ($P = .0003$) for increased lymphocyte blastogenesis from T1 (baseline) to T3 (77 days). Moreover, lymphocyte blastogenesis was significantly increased ($P < .05$) at T3 (77 days) compared to the initial baseline values at T1
10 (Figure 2).

Delayed-type hypersensitivity. There were no significant differences between the dietary groups in delayed-type hypersensitivity (DTH) response. At the midpoint of the study (35 days), there was some indication of a trend (not significant) for increased hypersensitivity to Duramune vaccine in the garlic-fed group, but this trend was not maintained and there was
15 no evidence of a garlic effect on DTH by the end of the study.

Results

Garlic powder had no effect on cytokine production from canine peripheral blood mononuclear cells or on DTH response. However, the garlic-fed dogs had significantly enhanced lymphocyte blastogenesis compared to their baseline values.

20 The results demonstrate that garlic can function as an immunomodulatory agent. Garlic demonstrated an immunomodulatory effect with respect to mitogen-induced lymphocyte blastogenesis.

While certain representative embodiments and details have been shown for purposes of illustrating the invention, it will be apparent to those skilled in the art that various changes in
25 the methods and apparatus disclosed herein may be made without departing from the scope of the invention, which is defined in the appended claims.

-6-

CLAIMS

1. A method for enhancing immune response in a dog comprising feeding said dog a diet including an effective amount of garlic for a time sufficient for said garlic to be absorbed by said dog.
- 5 2. The method of claim 1 in which said diet includes from about 1 to 10g garlic per kg of diet.
3. The method of claim 1 wherein said diet comprises, on a dry matter basis, about 20 to 40% by weight protein, about 4 to 30% by weight fat, and about 1 to 11% total dietary fiber.
4. A method for increasing lymphocyte blastogenesis in a dog comprising feeding said
10 dog a diet including an effective amount of garlic for a time sufficient for said garlic to be absorbed by said dog.
5. The method of claim 1 in which said diet includes from about 1 to 10g garlic per kg of diet.
6. The method of claim 1 wherein said diet comprises, on a dry matter basis, about 20 to
15 40% by weight protein, about 4 to 30% by weight fat, and about 1 to 11% total dietary fiber.

1/1




FIG. 1




FIG. 2

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 01/13660

A. CLASSIFICATION OF SUBJECT MATTER		
IPC 7 A23K1/16 A23K1/18 A61K35/78 A61P37/00		
According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED		
Minimum documentation searched (classification system followed by classification symbols)		
IPC 7 A23K A61K A61P		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
Electronic data base consulted during the international search (name of data base and, where practical, search terms used)		
EPO-Internal, PAJ, WPI Data, BIOSIS, CAB Data		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P, X	US 6 156 355 A (BENNETT JEFFREY P ET AL) 5 December 2000 (2000-12-05) column 3, line 20 - line 27 column 14, line 38 - line 55 claim 5	1
X	US 6 007 860 A (ERASMUS UDO ET AL) 28 December 1999 (1999-12-28) examples 3,4	1
Y		2,3
Y	US 5 776 524 A (REINHART GREGORY A) 7 July 1998 (1998-07-07) column 2, line 18 - line 51 example	2,3
	--- -/-	
<input checked="" type="checkbox"/> Further documents are listed in the continuation of box C. <input checked="" type="checkbox"/> Patent family members are listed in annex.		
* Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "&" document member of the same patent family		
Date of the actual completion of the international search		Date of mailing of the international search report
12 September 2001		20/09/2001
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016		Authorized officer Dekeirel, M

INTERNATIONAL SEARCH REPORT

International Application No
PCT/US 01/13660

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	FR 2 595 548 A (AMANN CHANTAL) 18 September 1987 (1987-09-18) page 1, line 5 - line 28 page 11, line 15 -page 14, line 9 claims 1,2,7	1-3
X	WO 99 48381 A (ALLEN BARBARA A ;STABAR ENTERPRISES INC (US)) 30 September 1999 (1999-09-30) page 2, line 3 - line 10 page 4, line 25 - line 31 claims 1,4,30,34	1
A	L.W.V. DEBOER ETAL.: "Partial protection from platelet thrombi in canine coronaries" FEDERATION PROCEEDINGS, vol. 46, no. 4, 1987, page 1316 XP001024180 BETHESDA, MD, US ISSN: 0014-9446 column 2, Abstract 5830	1,4
A	PATENT ABSTRACTS OF JAPAN vol. 007, no. 039 (C-151), 17 February 1983 (1983-02-17) -& JP 57 192318 A (RIKEN KAGAKU KOGYO KK), 26 November 1982 (1982-11-26) abstract	1
A	US 5 141 755 A (WEISMAN ERIC H) 25 August 1992 (1992-08-25) column 4, line 56 - line 62 claims 1,11,12	1-3
A	WO 00 01399 A (COASTSIDE BIO RESOURCES ;COLLIN PETER DONALD (US)) 13 January 2000 (2000-01-13) example 1	1
A	US 5 976 549 A (LEWANDOWSKI JOAN) 2 November 1999 (1999-11-02) column 2, line 40 - line 49 claims 1-5	1
A	GB 2 321 583 A (JENNINGS TERENCE ;GREENE PHELM (IE)) 5 August 1998 (1998-08-05) page 2, line 15 -page 4, line 5 claims 1,2,4	1
A	WO 93 06749 A (STOLTZ EDWIN I) 15 April 1993 (1993-04-15) page 18, line 20 -page 19, line 22 claims 16,17	1

INTERNATIONAL SEARCH REPORT

Information on patent family members

Int. Application No

PCT/US 01/13660

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 6156355 A	05-12-2000	NONE	
US 6007860 A	28-12-1999	US 5834048 A	10-11-1998
		US 5656312 A	12-08-1997
		US 6001401 A	14-12-1999
		US 6060102 A	09-05-2000
		US 6165539 A	26-12-2000
		US 6060101 A	09-05-2000
US 5776524 A	07-07-1998	NONE	
FR 2595548 A	18-09-1987	NONE	
WO 9948381 A	30-09-1999	US 5965153 A	12-10-1999
		US 6149932 A	21-11-2000
		AU 3191999 A	18-10-1999
		EP 1073343 A	07-02-2001
JP 57192318 A	26-11-1982	NONE	
US 5141755 A	25-08-1992	NONE	
WO 0001399 A	13-01-2000	AU 4969499 A	24-01-2000
		GB 2355196 A	18-04-2001
		AU 5089400 A	28-12-2000
		WO 0074662 A	14-12-2000
US 5976549 A	02-11-1999	NONE	
GB 2321583 A	05-08-1998	IE 970063 A	10-09-1997
WO 9306749 A	15-04-1993	AT 150259 T	15-04-1997
		AU 670543 B	25-07-1996
		AU 2766492 A	03-05-1993
		CA 2120357 A	15-04-1993
		DE 69218446 D	24-04-1997
		DE 69218446 T	02-10-1997
		EP 0607272 A	27-07-1994
		US 5455055 A	03-10-1995
		US 5650185 A	22-07-1997